

065 REPAIR TAPE

Tape structure:

Backing: PE

Adhesive: Acrylic

Product Description:

Polyethylene tape made with a transparent PE film and acrylic adhesive, offering high strength and versatility for various uses. It is particularly well-suited for splicing LDPE films, commonly applied in green-house repair.

Features:

- UV resistance for up to 12 months
- Weather and moisture resistant
- Good ageing resistance

Technical information:

Properties	Units	Specification	Test method
Backing thickness	mm	0.13	Internal
Total thickness	mm	0.16	Internal
Peel adhesion	N/cm	2.7	AFERA 5001
Tensile strength	N/cm	31	AFERA 5004
Elongation at break	%	400	AFERA 5004
UV resistance	months	12	

Color:



SHELF LIFE AND STORAGE

Tapes should be used within 12 months when stored in original carton at 23 °C and max. 50 % relative humidity. We recommend a storage temperature between 15 and 25 °C. The product should not be directly exposed to heat or humidity. The product should be conditioned to room temperature before use

IMPORTANT NOTICE TO PURCHASER

All statements technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed and the following is made in lieu of all warranties, express or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, users shall determine the suitability of the product for their intended use, and assume all risk and liability whatsoever in connection therewith. No statement or recommendation not contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacture. Customers are advised to test the material to determine the suitability against intended applications.



Main Application:

Ideal for splicing and repair of greenhouses.