



# PRODUCT CATALOGUE

PROFESSIONAL BONDING SOLUTIONS

## CONTENTS

About Folsen .....	4
--------------------	---

**MASKING TAPES**

Performance Automotive Masking tape 80 °C PRO CAR 0220 ...	5
Automotive Masking tape 80 °C 022 .....	5
Masking tape 60 °C 023 .....	6
Masking tape 02135 .....	6
Masking tape "PERFECT EDGE OUTDOOR" 026 .....	7
Masking tape "PERFECT EDGE" 028 .....	7
Masking tape "PERFECT EDGE DELICATE" 0207 .....	8
Masking tape "DELICATE" 027 .....	8
Masking tape "CURVED SURFACES" 029 .....	9
PVC masking tape yellow, embossed 0243350 .....	9
PVC masking tape orange 0253350 .....	10

**PROTECTIVE FILMS**

Extra strong protective film 09455 .....	11
Protective film 094 .....	11
Pre-taped film 099 .....	12

**MULTI-PURPOSE CLOTH TAPES**

Heavy duty duct tape 0520 .....	13
Duct tape 0510 .....	13
Gaffer cloth tape premium 0530 .....	14
FLUO Gaffer tape premium 0540 .....	14

**MULTI-PURPOSE DOUBLE-SIDED TAPES**

Double-sided cloth tape "Carpet tape" 03215 .....	15
Multi-purpose double-sided tape 03111 .....	15

**WATERPROOF TAPES AND BATHROOM TAPES**

PVC duct tape extra strong 05164 .....	16
PVC duct tape 05156 .....	16
Bathroom tape 05538, 05560 .....	17

**ALUMINIUM TAPES**

Aluminium tape 074501, 074502, 074503 .....	18
High-temperature aluminium tape 074504 .....	18
Reinforced aluminium tape 074505, 074506 .....	19
Aluminium tape 074102, 074252 .....	19

**CONSTRUCTION TAPES**

Drywall joint tape 07755 .....	20
Vapor Barrier tape 07798650 .....	20

**INSULATING TAPES**

PVC insulating tape premium 01210, 01310 .....	21
PVC insulating tape flame retardant 01251, 01351 .....	21
PVC insulating tape 01150, 01250, 01260, 01350 .....	22
Wire harness cotton tape 0153015 .....	22
PET fleece tape 0171519 .....	23
Textile insulating tape 0181925 .....	23
Self-fusing tape 0161019 .....	24

**PACKAGING TAPES**

PVC packaging premium tape 0777245 .....	25
PVC packaging tape 077717 .....	25
Packaging premium tape silent 045 .....	26
Packaging tape, solvent 041 .....	26
Packaging tape, hot-melt 042 .....	27
Paper packaging tape 044 .....	27
PVC colour packaging tape 0777 .....	28

**FILAMENT PACKAGING TAPES**

Filament tape cross-weaved 048 .....	29
Filament tape mono-directional 047 .....	29

**DOUBLE-SIDED TAPES**

Double-sided PE foam mounting tape 03081, 03082 .....	30
Double-sided PE foam tape 03012 .....	30
Double-sided PE foam tape 03011 .....	31
Double-sided polyethylene foam tape 03010 .....	31
Double-sided acrylic foam tape 0732, 0733, 0734, 0735 .....	32
Double-sided PET tape 03540, 03528, 03522 .....	32
Double-sided PET tape 180 °C 03541 .....	33
Double-sided tissue tape 180 °C 033501 .....	33
Double-sided tissue tape 120 °C 03338 .....	34
Double-sided OPP tape 031038 .....	34
Double-sided PVC tape 03607 .....	35
Butyl tape 0390 .....	35

**SPECIAL TAPES**

Polyimide tape 06200 .....	36
Polyester masking tape 06231 .....	36
Anti-slip tape 069 .....	37
Repair tape 065 .....	37
Warning tape 066, 067 .....	38



#### **ABOUT BRAND**

Established in 2005, Folsen provides industrial manufacturers, professional craftsmen and everyday consumers with premium quality tapes and films recognized for their outstanding performance.

#### **TAPES FOR ANY JOB**

We believe that having the right tools for the job makes all the difference. That is why we want to make sure you get the tools that fit your needs exactly! Our team will help you to find the best solution for your business needs and deliver everything right to your doorstep. We can also create individualized tapes in case none of our current product meets your specific requirements.

#### **PARTNERS ALL ACROSS EUROPE**

Over the years – we have developed successful partnerships with numerous manufacturers, retail stores and craftsmen businesses of all types and sizes all across Europe. We have earned the approval of countless professional craftsmen, who use our products on a daily basis. Our products are widely used in manufacturing, printing, automotive sector, construction, retail, as well as in many other industries.

## Professional bonding solutions

## Performance

AUTOMOTIVE MASKING TAPE  
80 °C PRO CAR 0220

## AVAILABLE SIZES:



- 18mm x 50m
- 24mm x 50m
- 36mm x 50m
- 48mm x 50m

## COLOURS:



Crepe paper masking tape with high performance, specific for automotive sector during collision repairs and painting processes with drying cycles at high temperatures up to 80 °C (for 60 min). It combines controlled unwinding, easy tear and conformability. Well performing in overlapping the tape, with masking paper and masking film, it provides excellent paint edges, clean and safe removal without residues and breaking.



- Temperature resistance 80 °C – 60 min
- High performance
- Suitable for all kinds of paints

- No residue
- Removal without breaking

Automotive  
MASKING TAPE  
80 °C 022

## AVAILABLE SIZES:



- 12mm x 50m
- 19mm x 50m
- 25mm x 50m
- 30mm x 50m
- 38mm x 50m
- 50mm x 50m

## COLOURS:



- Temperature resistance 80 °C – 60 min
- Automotive painting
- Building & Construction

- No residue
- Removal without breaking
- Suitable both for solvent and water based paint



Automotive masking tape with natural rubber adhesive. Suitable for any kind of painting application in automotive, building, repairing etc.

## Professional bonding solutions

## Masking tape

60 °C 023



## AVAILABLE SIZES:

- 19mm x 50m
- 25mm x 50m
- 30mm x 50m
- 38mm x 50m
- 50mm x 50m

## COLOURS:



High quality masking tape with natural rubber based adhesive. Suitable for all types of painting applications and most types of paint.



- Temperature resistance 60 °C – 60 min
- Building & Construction
- Suitable both for solvent and water based paint

- No residue
- Removal without breaking

## Masking tape

02135



## AVAILABLE SIZES:

- 19mm x 35m
- 25mm x 35m
- 38mm x 35m
- 50mm x 35m

## COLOURS:



Practical and reliable general-purpose masking tape with natural rubber adhesive.



- General home use
- Simple painting jobs
- Temperature resistance 40 °C – 60 min

# Masking tape

## “PERFECT EDGE OUTDOOR” 026



### AVAILABLE SIZES:

- 30mm x 25m
- 30mm x 50m
- 50mm x 25m
- 50mm x 50m

### COLOURS:



Premium masking tape designed for the most accurate paintwork where you need to get a perfectly straight edge. Suitable for almost any surface. With extra UV and water resistance.



- Removable without residue up to 90 days
- UV-resistant for 90 days
- Temperature resistance: 120 °C – 60min
- Suitable for all types of paints



# Masking tape

## “PERFECT EDGE” 028



### AVAILABLE SIZES:

- 25mm x 25m
- 25mm x 50m
- 38mm x 25m
- 50mm x 50m

### COLOURS:



Premium masking tape designed for the most accurate paintwork where you need to get a perfectly straight edge. Suitable for almost any surface.



- Removable without residue up to 60 days
- UV-resistant for 60 days
- Temperature resistance: 120 °C – 60min
- Suitable for all types of paints

# Masking tape

“PERFECT EDGE DELICATE” 0207



AVAILABLE SIZES:

- 30mm x 50m
- 50mm x 50m

COLOURS:



Premium masking tape offers super sharp paint line for applications on smooth, particularly delicate surfaces.



- Removable without residue up to 21 days
- High performance on delicate surfaces and adaptable to irregular surfaces
- Perfect paint edge
- Suitable for all types of paints



# Masking tape

“DELICATE” 027



AVAILABLE SIZES:

- 30mm x 25m
- 50mm x 25m

COLOURS:



This masking tape is suitable for use on freshly painted and other delicate surfaces.



- Removable without residue up to 5 days

# Masking tape

“CURVED SURFACES” 029



## AVAILABLE SIZES:



- 38mm x 25m

## COLOURS:



Masking tape with highly creped paper. Specially designed for masking curved surfaces.



- Ideal for painting objects of irregular shape and work with curved lines on smooth and uneven surfaces



# PVC Masking tape

YELLOW EMBOSSED 0243350



## AVAILABLE SIZES:



- 50mm x 33m

## COLOURS:



This masking tape is based on embossed vinyl backing, coated on one side with an aggressive rubber adhesive.



- Easy tearing
- Comfortable and pliable backing
- Can be used for covering during painting and plastering works, also for repairing, marking, protection and maintenance

# PVC Masking tape

ORANGE 0253350



## AVAILABLE SIZES:



- 50mm x 33m

## COLOURS:



This masking tape is based on special release-treated soft PVC film coated on one side with an aggressive rubber adhesive.



- Comfortable and pliable backing
- Can be used for covering during painting works, also for repairing, marking, protection and maintenance

## Professional bonding solutions

## Extra strong

## PROTECTIVE FILM 09455



## AVAILABLE SIZES:



- 4m x 5m (20m<sup>2</sup>)

## COLOURS:



Highly durable protective film for protection of various surfaces.



- Highly durable
- Protects from solvents
- Protection of large surfaces

- Electrostatic
- For covering various surfaces during construction and repair works

## Protective film

094



## AVAILABLE SIZES:



- 4m x 5m (20m<sup>2</sup>)
- 4m x 12,5m (50m<sup>2</sup>)

## COLOURS:



Protective film for protection of various surfaces.



- Water-resistant
- Protects from solvents
- Protection of large surfaces

- Electrostatic
- For covering surfaces and furniture

# Pre-taped film

099



## AVAILABLE SIZES:



- 550mm x 33m
- 1100mm x 33m
- 1400mm x 33m
- 1800mm x 33m
- 2700mm x 17m
- 3100mm x 17m

## COLOURS:



Protective film with high quality self-adhesive masking tape. Perfect for protection of different surfaces.




- Two-in-one: protective film + self-adhesive masking tape
- Electrostatic; the film takes the form of the protected surfaces
- Embossing on the film prevent the paint from spreading
- For quick and easy solutions in protecting
- small and large surfaces in one go
- Quickly and easily removable

## Professional bonding solutions

## Heavy duty

## DUCT TAPE 0520



## AVAILABLE SIZES:



- 48mm x 50m

## COLOURS:




Premium duct tape with natural rubber adhesive. Perfectly suitable for many kinds of repair and packaging applications. High tensile strength and adhesion make this product a perfect choice for various heavy duty industrial applications.



- Extra strong
- Excellent adhesion
- Removal without breaking
- Easy to use

## Duct tape

## 0510



## AVAILABLE SIZES:



- 48mm x 10m
- 48mm x 25m
- 48mm x 50m

## COLOURS:



High quality duct tape with strong synthetic rubber adhesive. Designed for various repair applications in DIY and industry. Special temperature resistance (from -10 °C up to 60 °C, once applied).



- High tensile strength
- High adhesion
- Removal without breaking
- Easy to use

## Professional bonding solutions

## Gaffer

## CLOTH TAPE PREMIUM 0530




## AVAILABLE SIZES:



- 48mm x 50m

## COLOURS:



300 micron professional premium grade cloth tape specially designed for heavy duty application where residue free removal is required. Perfectly suitable for arts and entertainment industry.



- Non-reflective
- Conformable
- Easy to remove



## FLUO Gaffer

## TAPE PREMIUM 0540



## AVAILABLE SIZES:



- 25mm x 50m
- 48mm x 50m

## COLOURS:



Professional premium grade fluorescent cloth tape specially designed for heavy duty application where residue free removal is required. Perfectly suitable for arts and entertainment industry.



- Fluorescent
- Conformable
- Easy to remove

## Professional bonding solutions

## Double-sided cloth

## CARPET TAPE 03215



## AVAILABLE SIZES:



- 50mm x 5m
- 50mm x 10m
- 50mm x 25m

## COLOURS:



Double-sided cloth tape with adhesive on the basis of synthetic rubber. Due to its durability and flexibility, the tape is perfect for fixing carpets. The tape is also widely used for a variety of industrial and household purposes.



- Due to its durability and flexibility, the tape is perfect for fixing carpets
- The tape is also widely used for a variety of industrial and household purposes
- Transparent, reinforced with fiberglass

Multi-purpose  
double-sided tape 03111

## AVAILABLE SIZES:



- 50mm x 5m
- 50mm x 10m
- 50mm x 25m

## COLOURS:



Transparent Polypropylene film is coated with high tack acrylic adhesive on both sides. 03111 can be used for splicing, mounting and joining purposes.



- Ideal for industrial and household use

## Professional bonding solutions

# PVC duct tape

EXTRA STRONG 05164



AVAILABLE SIZES:



- 48mm x 30m

COLOURS:



Water-proof PVC tape with adhesive on the basis of natural rubber.



- Highly durable
- Moisture-resistant
- Ideal for wrapping air pipes, waterproofing during plumbing works, etc.

# PVC duct tape

05156



AVAILABLE SIZES:



- 48mm x 30m

COLOURS:



Water-proof PVC tape with adhesive on the basis of natural rubber.



- Damp-resistant
- Ideal for wrapping air pipes, waterproofing during plumbing works, etc.

## Professional bonding solutions

## Bathroom tape

05538, 05560



## AVAILABLE SIZES:



- 38mm x 3,35m
- 60mm x 3,35m

## COLOURS:



Self-adhesive butyl based border tape used for sealing junctures in premises with high level of dampness. The product is pre-shaped for easy application.




- Used for filling small fissures in bathroom, for instance, fissures between appliances and the floor or between appliances and walls.

## Application guidelines:



1. The surfaces on which the tape is applied must be free of water, grease, dust and dirt.



2. Measure the required length and cut the tape.



3. Carefully apply the tape while removing the protective film. Press firmly during application.



4. For complete adhesion 6 hours without dampness are required.

# Aluminium tape

074501, 074502, 074503



## AVAILABLE SIZES:



- 50mm x 50m
- 75mm x 50m
- 100mm x 50m

## COLOURS:



High tensile strength aluminium foil backing, combined with a cold weather acrylic adhesive, protected by an easy-release silicone release paper.



- Service temperature range: -35 °C - +120 °C
- Provides excellent reflection of both heat and light
- Excellent sealing and patching performance
- Used for taping joints and seams for protection against dampness and steam, for various insulation purposes, for repair works in automotive industry

# High-temperature

ALUMINIUM TAPE 074504



## AVAILABLE SIZES:



- 50mm x 50m

## COLOURS:



High tensile strength aluminium foil backing, combined with a flame retardant cold weather acrylic adhesive, protected by an easy-release silicone release paper. Resistant to high temperatures - up to +150 °C.



- Temperature resistance: up to +150 °C
- Provides excellent reflection of both heat and light
- Excellent sealing and patching performance
- Used for taping joints and seams for protection against dampness and steam, for various insulation purposes, for repair works in automotive industry

## Professional bonding solutions

## Reinforced

ALUMINIUM TAPE 074505, 074506



## AVAILABLE SIZES:



- 50mm x 40m
- 75mm x 40m

## COLOURS:



Foil-Scrim backing, combined with a transparent high performance cold weather solvent acrylic adhesive, protected by an easy-release silicone release paper. Used in HVAC industry for joining and sealing Foil-Scrim Facing laminated fiberglass blanket / duct board / pipe section joints and seams; joining and sealing flexible air duct seams and connections.



- Excellent reflection of both heat and light
- Super strong adhesion and holding power
- Perfectly suitable for HVAC industry application
- Low moisture vapor transmission rate

## Aluminium tape

074102, 074252



## AVAILABLE SIZES:



- 50mm x 10m
- 50mm x 25m

## COLOURS:




General purpose aluminium tape with high tensile strength aluminum foil backing, combined with a cold weather acrylic adhesive, protected by an easy-release silicone release paper.



- Excellent reflection of both heat and light
- Good aging resistance both indoors and outdoors
- Low moisture vapor transmission rate

# Drywall joint tape

## FIBERGLASS MESH 07755



### AVAILABLE SIZES:

- |              |               |
|--------------|---------------|
| • 48mm x 20m | • 48mm x 180m |
| • 48mm x 45m | • 100mm x 20m |
| • 48mm x 90m | • 150mm x 20m |

### COLOURS:



Self-adhesive high quality fiberglass tapes are used on gypsum plasterboard joints, as well as on cracks before applying filler.



- The tape together with filler reinforces joints and cracks

# Vapor barrier tape

## 07798650



### AVAILABLE SIZES:

- |              |
|--------------|
| • 50mm x 25m |
|--------------|

### COLOURS:



Double-sided sealing and bonding tape used for steep roofs. The unique adhesive properties make it suitable for bonding and covering of overlaps for various surfaces, like plywood, chipboard and flexible vapor barrier material.



- Complies to EnEV (DIN 4108/7)
- High tack
- High condensation water resistance

## Professional bonding solutions

# PVC insulating tape

PREMIUM 01210, 01310



## AVAILABLE SIZES:

- 19mm x 20m
- 19mm x 33m

## COLOURS:



PVC film insulating tape has strong and durable qualities, can be stretched without tearing. Rubber adhesive has good aging characteristics. For use as electrical insulation, bundling, coding identification and marking on joints and splices in wires, pipe and cable.



- Protection against voltages up to 7000 V
- Suitable for use from -18 to 105 °C
- Conforms to UL, CSA standards

# PVC insulating tape

FLAME RETARDANT 01251, 01351



## AVAILABLE SIZES:

- 19mm x 20m
- 19mm x 33m

## COLOURS:



This tape is based on a 0.10 mm soft PVC film, coated with an aggressive rubber- resin adhesive with flame retardancy and good aging characteristics. Excellent conformability and high elongation at break.



- Protection against voltages up to 5000 V
- Suitable for use from 0 to 80 °C
- Conforms to IEC 60454-3-1-5/F-PVCP/90 Type 5 standards

# PVC insulating tape

01150, 01250, 01260, 01350



## AVAILABLE SIZES:

- 15mm x 10m
- 19mm x 20m
- 19mm x 33m
- 25mm x 20m

## COLOURS:



General purpose insulating tapes. Tapes consist of soft PVC backing and natural rubber adhesive.



- Protection against voltages up to 5000 V
- Is suitable for use in temperatures from 0 to 80 °C

- For electrical insulation at junctures, binding and grouping of wires and cables
- Conforms to RoHS standards

# Wire harness

COTTON TAPE 0153015



## AVAILABLE SIZES:

- 19mm x 15m

## COLOURS:



Self-adhesive cloth insulation tape is perfect for automobile wires and other insulation works.



- Does not contain lead or cadmium
- Low level of noise during unwinding
- Resistance to adverse weather conditions

- Long duration of service
- High tensile strength
- Dielectric Breakdown (1 min) - 1 kWh

# PET fleece tape

0171519



## AVAILABLE SIZES:



- 19mm x 15m

## COLOURS:



Textile insulating tape designed specifically for demanding applications in motor vehicles and gear compartments. In addition, due to softness of the carrier tape is perfect for banding wires to reduce noise and vibration.



- Heat Resistance: +150 °C



## Textile INSULATING TAPE 0181925

## AVAILABLE SIZES:



- 19mm x 25m

## COLOURS:



Self-adhesive cloth insulation tape is perfect for automobile wires and other insulation works.



- Heat aging test: 125 °C/3000h no crackle, no fading, no looseness.
- Low-temperature performance test: No crazing and crackle after 4 hours in -40 °C
- Abrasion resistance: D grade (2580m)
- Flame retardant: B grade flame retardant (10s extinct away from fire)

# Self-fusing tape

0161019



## AVAILABLE SIZES:



- 19mm x 10m

## COLOURS:



Very flexible insulating tape made of special PIB rubber. The tape has excellent electrical and physical properties, which allow it to “sinter” fast into homogeneous mass without the influence of heat. Good for protecting hoses, plastic and metal tubes as well as other automobile, industrial and household appliances against corrosion.



- No adhesive layer
- Very resistant to long-term water impact
- Perfect for complex surfaces
- For joining, binding and repairing cables
- No special tools required for application
- Dielectric power (kWt/mm) 19-22

## Professional bonding solutions

## PVC packaging

PREMIUM TAPE 0777245



## AVAILABLE SIZES:



- 48mm x 66m

## COLOURS:



Premium quality carton sealing PVC tape, suitable for manual dispenser application. Can be used for automated applications. Ultra White colour due to a special film treatment.



- Excellent adhesion even in recycled cartons
- Long lasting adhesion
- Excellent tack

- Once applied, ideal for storage in extreme temperature conditions and high moisture environments



## PVC packaging

TAPE 077717



## AVAILABLE SIZES:



- 48mm x 66m

## COLOURS:



High quality carton sealing PVC tape, suitable for manual dispenser application. Can be used for automated applications.



- Excellent adhesion even in recycled cartons
- Excellent tack
- Long lasting adhesion

- Once applied, ideal for storage in extreme temperature conditions and high moisture environments

# Packaging tape

PREMIUM, SILENT 045



## AVAILABLE SIZES:



- 50mm x 66m

## COLOURS:



Premium BOPP packaging tape with acrylic based adhesive. Super silent unwinding. Specially designed for medium and heavy duty carton sealing.



- Silent unwinding
- Ecological solvent-free tape
- Extra strong backing
- High Performance

# Packaging tape

SOLVENT 041



## AVAILABLE SIZES:



- 38mm x 66m
- 48mm x 66m
- 75mm x 66m
- 48mm x 990m

## COLOURS:



Self-adhesive tape with BOPP backing and natural rubber adhesive base. The tape is suitable for use with manual dispenser and automated packaging lines. The adhesion and elasticity characteristics, together with the brilliance and transparency, typical of polypropylene tapes, make it ideal for all applications in the packaging sector. Due to its adhesive qualities, the tape can be used at low temperatures.



- Service Temperature: -25 °C - +65 °C
- Excellent and long lasting adhesion

# Packaging tape

## HOT-MELT 042

### AVAILABLE SIZES:



- 48mm x 66m
- 75mm x 66m
- 48mm x 990m

### COLOURS:



Self-adhesive tape with BOPP backing and synthetic rubber adhesive base. The tape is suitable for use with manual dispenser and automated packaging lines. The adhesion and elasticity characteristics, together with the brilliance and transparency, typical of polypropylene tapes, make it ideal for all applications in the packaging sector.



- Excellent adhesion
- High tack



# Paper

## PACKAGING TAPE 044



### AVAILABLE SIZES:



- 50mm x 50m

### COLOURS:



Paper tape, specially designed for box and cardboard packaging.



- High slip resistance
- Easy to use and unwind

# PVC colour

## PACKAGING TAPE 0777



### AVAILABLE SIZES:



- 9mm x 66m
- 12mm x 66m

### COLOURS:



PVC packaging tape with natural rubber adhesive. Due to its qualities, the tape is perfect for sealing both standard boxes and boxes made of recycled material.



- Excellent and long lasting adhesion
- Service Temperature: -25 °C - +65 °C
- Easy unwind

# Filament tape

## CROSS-WEAVED 048

### AVAILABLE SIZES:



- 50 mm x 50 m

### COLOURS:



Self-adhesive tape with BOPP backing coupled with cross-weaved glass fibres. Special hot-melt glue makes the tape perfect for gluing to cardboard boxes. The tape is used for packaging heavy boxes, gluing tubes, pallets and for other works where high durability against breaking is required.



- Excellent adhesion to all surfaces
- Excellent tack
- High tensile strength

# Filament tape

## MONO-DIRECTIONAL 047

### AVAILABLE SIZES:



- 12mm x 50m
- 19mm x 50m
- 25mm x 50m
- 38mm x 50m
- 50mm x 50m

### COLOURS:



Self-adhesive tape with BOPP backing coupled with glass fibres positioned longitudinally. Special hot-melt glue makes the tape perfect for gluing to cardboard boxes. The tape is used for packaging heavy boxes, gluing tubes, pallets and for other works where high durability against breaking is required.



- High tensile
- 3 layers

# Double-sided

## PE FOAM MOUNTING TAPE 03081, 03082



### AVAILABLE SIZES:

• 19mm x 1,5m	• 12mm x 25m
• 19mm x 5m	• 19mm x 25m
• 9mm x 25m	• 25mm x 25m

### COLOURS:



Tape consists of black or white PE foam 1.1 mm thick, coated with modified acrylic adhesive on both sides, with blue protective liner. The tape ensures high adhesion, resistance to movement and is adapted to different weather conditions.



- Specially designed for fixing mouldings, profiles, signs, etc.



# Double-sided

## PE FOAM TAPE 03012



### AVAILABLE SIZES:

• 9mm x 25m
• 12mm x 25m
• 19mm x 25m

### COLOURS:



Cross-Linked Polyethylene (PE) foam is coated with Premium natural rubber (solvent based) adhesive on both sides.



- Especially designed for heavy duty hanger holding
- Mounting & joining to nameplates, plastic trim, signs and emblems
- Window Glazing

## Double-sided

### PE FOAM TAPE 03011

#### AVAILABLE SIZES:



- 9mm x 25m
- 12mm x 25m

#### COLOURS:



Cross-Linked Polyethylene (PE) foam is coated with high tack acrylic adhesive on both sides. Widely used in automotive industry and for home decor.



- For furniture, mirrors, functional trim and decorative panels etc.
- Can be used with most materials



## Double-sided

### POLYETHYLENE FOAM TAPE 03010

#### AVAILABLE SIZES:



- 6mm x 25m
- 9mm x 25m
- 12mm x 25m
- 19mm x 25m
- 25mm x 25m

#### COLOURS:



Tape of PE foam with modified acrylic adhesive. The tape has high adhesion, durability and resistance to ageing. It is used for fixing car moldings, badgings, mirrors, etc.



- For mounting advertising plaques, displays and hangers
- Can be used with most materials

## Double-sided

ACRYLIC FOAM TAPE  
0732, 0733, 0734, 0735



### AVAILABLE SIZES:

- 6mm x 33m
- 9mm x 33m
- 12mm x 33m
- 19mm x 33m

### COLOURS:



Double-sided tape of foamed acrylic backing. Perfect for mounting various advertising materials, signs and transparent materials. Available thickness - 0,5mm; 1mm; 1,5mm.



- High resistance to movement pressures
- Can be used with most materials



## Double-sided

PET TAPE  
03540, 03528, 03522

### AVAILABLE SIZES:

- 6mm x 50m
- 9mm x 50m
- 12mm x 50m
- 19mm x 50m
- 19mm x 5m
- 25mm x 50m

### COLOURS:



Double Sided High Temperature Polyester Tape has excellent bonding and very aggressive adhesion, and provides reliable sticking effect even though under rigorous outside force and temperature.



- Excellent adhesion and good resistance to temperature and ageing
- Perfect for industrial use as well as household use

## Double-sided

PET TAPE 180 °C 03541

### AVAILABLE SIZES:



- 6mm x 50m
- 9mm x 50m
- 12mm x 50m

### COLOURS:



High temperature PET double sided tape has excellent bonding and very aggressive adhesion, and provides reliable sticking effect even though under rigorous outside force and temperature. Suitable for different kinds of nameplates and film switches mounting and fixing. For dimensional stability and improved handling with ease of die cutting and laminating.



- Good UV resistance
- Good plasticizer resistance
- Good solvent resistance

- Perfect for industrial use as well as household use
- Excellent adhesion and good resistance to temperature and ageing



## Double-sided

TISSUE TAPE 180 °C 033501



### AVAILABLE SIZES:



- 4mm x 50m
- 6mm x 50m
- 9mm x 50m
- 12mm x 50m
- 19mm x 50m
- 25mm x 50m
- 38mm x 50m
- 50mm x 50m

### COLOURS:



Double-sided tissue tape has excellent adhesion, good holding power and resistance to high temperatures. The tape is applicable for general industrial use, such as fixing metal and plastic plates; it is often used in household for gluing parts of electric appliances.



- Temperature resistance: +180 °C ≥ 3 min

# Double-sided

## TISSUE TAPE 120 °C 03338



### AVAILABLE SIZES:

- |              |               |
|--------------|---------------|
| • 4mm x 50m  | • 25mm x 50m  |
| • 6mm x 50m  | • 30mm x 50m  |
| • 9mm x 50m  | • 38mm x 50m  |
| • 12mm x 50m | • 50mm x 50m  |
| • 15mm x 50m | • 50mm x 100m |
| • 19mm x 50m | • 100mm x 50m |

### COLOURS:



Paper double-sided tissue tape 03338 – high-quality tape with excellent adhesion, high temperature resistance and movement resistance. Perfect for general industrial uses, such as repairing metal and plastic details, foam lamination, making shoes, clothes and other leather products.



- Temperature resistance: +120 °C ≥ 3 min



# Double-sided

## OPP TAPE 031038

### AVAILABLE SIZES:

- |              |
|--------------|
| • 6mm x 50m  |
| • 9mm x 50m  |
| • 12mm x 50m |
| • 25mm x 50m |

### COLOURS:



Double-sided adhesive tape of polypropylene available with adhesive based on natural rubber meant for general use. It is very useful for gluing different types of paper.

## Double-sided PVC TAPE 03607

### AVAILABLE SIZES:

- 
- 6mm x 50m
  - 9mm x 50m
  - 12mm x 50m
  - 25mm x 50m

### COLOURS:



Double-sided tape with backing based on polyvinylchloride and modified acrylic glue.




- Has high initial and final adhesion
- Suitable for most materials
- Used both indoors and outdoors


## Butyl tape 0390



### AVAILABLE SIZES:

- 
- 3mm x 0.6mm x 30m

### COLOURS:



Butyl tape mainly used by inside primary compositions of insulation glass production. This product achieved DIN EN 1279 part 2 and 3. Other applications: automotive industry; container - building; shipbuilding; refrigeration; air conditioning; housetop, - window, - wall covering substrate; arboriumbuilding; construction of apparatus; PV - industry.



- Solvent - free
- Pressure - sensitive
- Constancy malleable
- One-component butyl – sealing tape basically of polyisobutylene
- No aging

# Polyimide tape

06200



## AVAILABLE SIZES:

- |              |              |
|--------------|--------------|
| • 6mm x 33m  | • 25mm x 33m |
| • 9mm x 33m  | • 30mm x 33m |
| • 12mm x 33m | • 38mm x 33m |
| • 19mm x 33m | • 50mm x 33m |


## COLOURS:



Polyimide tape covered with silicon-based glue. Excellent preservation of physical and electric qualities at high temperatures. For use in high performance electrical applications on high-temperature coil, such as in traction machine manufacturing, in the production of generators, capacitors, transformers etc. May also be used for masking off gold contacts on PC board during wave soldering process and during hot air levelling or for splicing other high temperature insulation materials.



- Flame retardant
- Conforms to UL standards
- The tape is used as Class 200 / Class C insulation material



# Polyester

## MASKING TAPE 06231

## AVAILABLE SIZES:

- |              |
|--------------|
| • 19mm x 66m |
| • 25mm x 66m |
| • 30mm x 66m |
| • 38mm x 66m |
| • 50mm x 66m |

## COLOURS:



Polyester tape with high temperature resistant silicone adhesive. High temperature resistance makes it perfectly suitable for high demanding applications such as masking during powder coating.



- High temperature resistance
- Easy to apply

# Anti-slip tape

069



## AVAILABLE SIZES:

- 25mm x 5m
- 50mm x 5m
- 50mm x 10m

## COLOURS:



Folsen anti-slip tape has durable uneven surface that will keep you in balance. The tape can be used both indoors and outdoors, and can be glued quickly and easily to any clean, dry, degreased surface, including wood, metal and cement – just remove protective paper and glue the tape, pressing it to the surface.



- Resistant to UV rays
- Resistant to dampness and precipitation
- Resistant to temperature fluctuations

# Repair tape

065



## AVAILABLE SIZES:

- 50mm x 10m
- 50mm x 33m
- 75mm x 10m

## COLOURS:




Durable tape with polyethylene backing and acrylic-based adhesive. Due to its durability and UV-resistance, the tape is perfect for outdoor repairs of glass and film.



- Weather resistant
- Ideal for splicing and reparation of greenhouses

# Warning tape

066, 067



AVAILABLE SIZES:



- 50mm x 33m

COLOURS:



PVC tape with natural rubber adhesive. Used for marking and identification of stairs / passages and for decoration.



- Excellent adhesion
- Highly stretchable
- Resistant to ageing



folsen.eu